

**SAFETY DATA SHEET**

in accordance with 2020/878/EU (REACH, Annex II) 29 CFR 1910.1200, WHMIS 2015 and Safe Work Australia

**Revision date:** 23 March 2023

**Date of previous issue:** 25 July 2018

**SDS No.** 287-11

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

615 HTG #1

**Unique Formula Identifier (UFI):** Not available

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses:** Multi-Purpose grease for heavy loads and high temperatures.

**Uses advised against:** No information available

**Reason why uses advised against:** Not applicable

**1.3. Details of the supplier of the safety data sheet**

**Company:**

A.W. CHESTERTON COMPANY  
860 Salem Street  
Groveland, MA 01834-1507, USA  
Tel. +1 978-469-6446 Fax: +1 978-469-6785  
(Mon. - Fri. 8:30 - 5:00 PM EST)  
SDS requests: [www.chesterton.com](http://www.chesterton.com)  
E-mail (SDS questions): [ProductSDSs@chesterton.com](mailto:ProductSDSs@chesterton.com)  
E-mail: [customer.service@chesterton.com](mailto:customer.service@chesterton.com)

**Supplier:**

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive,  
Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055  
EU: Chesterton International GmbH, Am Lenzenfleck 23,  
D85737 Ismaning, Germany – Tel. +49-89-996-5460

**1.4. Emergency telephone number**

24 hours per day, 7 days per week  
Call Infotrac: 1-800-535-5053  
Outside N. America: +1 352-323-3500 (collect)  
NSW Poisons Information Centre (Australia): 13 11 26

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / Safe Work Australia / GHS**

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015, Safe Work Australia and GHS. However, a safety data sheet is being supplied for it on request as it contains at least one substance posing human health or environmental hazards.

**2.1.2. Additional information**

None

**2.2. Label elements**

**Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / Safe Work Australia / GHS**

**Hazard pictograms:** None

**Signal word:** None

**Hazard statements:** None

**Precautionary statements:** None

**Supplemental information:** EUH208 Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts and Sulfonic acids, petroleum, calcium salts. May produce an allergic reaction.

### 2.3. Other hazards

None

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Hazardous Ingredients <sup>1</sup>	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification	SCL, M-factor, ATE
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	1 - < 5	68584-23-6 271-529-4	01-211949 2627-25	Skin Sens. 1B, H317	ATE (oral): > 5,000 mg/kg ATE (dermal): > 5,000 mg/kg ATE (inhalation, mist): > 1.9 mg/l
Calcium dodecylbenzenesulphonate	1 - < 3	26264-06-2 247-557-8	01-212012 2335-68	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 4, H413	ATE (oral): 1,300 mg/kg ATE (dermal): > 5,000 mg/kg
Sulfonic acids, petroleum, calcium salts	1 - < 5	61789-86-4 263-093-4	01-211948 8992-18	Skin Sens. 1B, H317	ATE (oral): > 5,000 mg/kg ATE (dermal): > 5,000 mg/kg ATE (inhalation, mist): > 1.9 mg/l

#### Other ingredients:

Baseoil – unspecified*	70 - < 90	64741-88-4 265-090-8	01-211948 8706-23	Not classified**	ATE (oral): > 5,000 mg/kg ATE (dermal): > 2,000 mg/kg ATE (inhalation, mist): > 5.53 mg/l
Calcium carbonate	10 - < 20	471-34-1 207-439-9	01-211948 6795-18	Not classified**	ATE (oral): 6,450 mg/kg

For full text of H-statements: see SECTION 16.

\*Contains less than 3 % DMSO extract as measured by IP 346.

\*\*Substance with a workplace exposure limit.

<sup>1</sup> Classified according to:

- 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F)
- 1272/2008/EC, GHS, REACH
- WHMIS 2015
- Safe Work Australia

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

**Inhalation:** Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

**Skin contact:** Wash skin with soap and water. Contact physician if irritation persists.

**Eye contact:** Flush eyes for at least 15 minutes with large amounts of water. Contact physician if irritation persists.

**Ingestion:** If person is conscious, wash out mouth with water and give plenty of water to drink. Contact physician.

**Protection of first-aiders:** Avoid contact with the product while providing aid to the victim. See section 8.2.2 for recommendations on personal protective equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause mild eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

High velocity injection under the skin may leave a bloodless puncture wound subject to infection, disfigurement, lack of blood and may require amputation. Immediate treatment by a surgical specialist is recommended.

**SECTION 5: FIREFIGHTING MEASURES****5.1. Extinguishing media**

**Suitable extinguishing media:** Carbon dioxide, dry chemical, foam or water fog

**Unsuitable extinguishing media:** High volume water jet

**5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products:** Carbon Monoxide, Carbon Dioxide, oxides of Nitrogen, Sulfur and Calcium and other toxic fumes. Dense smoke.

**Other hazards:** Do not allow runoff from firefighting to enter drains or water courses.

**5.3. Advice for firefighters**

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

**Australian HAZCHEM Emergency Action Code:** 3 Z

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

Utilize exposure controls and personal protection as specified in Section 8.

**6.2. Environmental Precautions**

Keep out of sewers, streams and waterways.

**6.3. Methods and material for containment and cleaning up**

Contain spill to a small area. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal.

**6.4. Reference to other sections**

Refer to section 13 for disposal advice.

**SECTION 7: HANDLING AND STORAGE****7.1. Precautions for safe handling**

Utilize exposure controls and personal protection as specified in Section 8. Wash thoroughly after handling. Injection into the body without immediate medical treatment may cause loss of affected part of the body.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a cool, dry area.

**7.3. Specific end use(s)**

No special precautions.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****Occupational exposure limit values**

Ingredients	OSHA PEL <sup>1</sup>		ACGIH TLV <sup>2</sup>		UK WEL <sup>3</sup>		AUSTRALIA ES <sup>4</sup>	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Calcium dodecylbenzenesulphonate	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sulfonic acids, petroleum, calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Oil mist, mineral	N/A	5	N/A	5	N/A	N/A	N/A	5
Calcium carbonate	(total)	15	(inhal.)	10 *	(inhal.)	10	(inhal.)	10
	(resp.)	5	(resp.)	3	(resp.)	4		

\* Particles Not Otherwise Specified (PNOS)

<sup>1</sup> United States Occupational Health & Safety Administration permissible exposure limits

<sup>2</sup> American Conference of Governmental Industrial Hygienists threshold limit values

<sup>3</sup> EH40 Workplace exposure limits, Health & Safety Executive

<sup>4</sup> Safe Work Australia, Workplace Exposure Standards for Airborne Contaminants

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:****Workers**

3337

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:**

Not available

**8.2. Exposure controls****8.2.1. Engineering measures**

No special requirements. If exposure limits are exceeded, provide adequate ventilation.

**8.2.2. Individual protection measures**

**Respiratory protection:** Not normally needed. If exposure limits are exceeded, use an approved organic vapor respirator for mists.

**Protective gloves:** Chemical resistant gloves (e.g. neoprene, nitrile).

**Eye and face protection:** Safety goggles or glasses.

**Other:** Long sleeves, long pants and good personal hygiene to minimize skin contact.

**8.2.3. Environmental exposure controls**

Refer to sections 6 and 12.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	semi-solid	<b>pH</b>	not applicable
<b>Colour</b>	blue-green	<b>Kinematic viscosity</b>	not determined
<b>Odour</b>	mild odor	<b>Solubility in water</b>	insoluble
<b>Odour threshold</b>	not determined	<b>Partition coefficient n-octanol/water (log value)</b>	not applicable
<b>Boiling point or range</b>	not applicable	<b>Vapour pressure @ 20°C</b>	not determined
<b>Melting point/freezing point</b>	not determined	<b>Density and/or relative density</b>	0.97 kg/l
<b>% Volatile (by volume)</b>	0%	<b>Weight per volume</b>	7.99 lbs/gal.
<b>Flammability</b>	no data available	<b>Vapour density (air=1)</b>	not applicable
<b>Lower/upper flammability or explosion limits</b>	not determined	<b>Rate of evaporation (ether=1)</b>	not applicable
<b>Flash point</b>	> 180°C (> 356°F)	<b>% Aromatics by weight</b>	0
<b>Method</b>	Open Cup	<b>Particle characteristics</b>	not applicable
<b>Autoignition temperature</b>	not determined	<b>Explosive properties</b>	not determined
<b>Decomposition temperature</b>	no data available	<b>Oxidising properties</b>	not determined

**9.2. Other information**

None

**SECTION 10: STABILITY AND REACTIVITY****10.1. Reactivity**

Refer to sections 10.3 and 10.5.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reactions known under conditions of normal use.

**10.4. Conditions to avoid**

Open flames and red hot surfaces.

**10.5. Incompatible materials**

Strong acids/bases and strong oxidizers like liquid Chlorine and concentrated Oxygen.

**10.6. Hazardous decomposition products**

Oxides of Carbon, Sulfur, Calcium and Nitrogen.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 / GHS****Primary route of exposure under normal use:** Skin and eye contact.**Acute toxicity -****Oral:** ATE-mix > 5,000 mg/kg.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rat, (OECD 401)	> 5,000 mg/kg
Sulfonic acids, petroleum, calcium salts	LD50, rat, (OECD 401)	> 5,000 mg/kg
Calcium dodecylbenzenesulphonate	LD50, rat	1,300 mg/kg

**Dermal:** ATE-mix > 5,000 mg/kg.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rabbit (OECD 402)	> 2,000 mg/kg
Sulfonic acids, petroleum, calcium salts	LD50, rabbit (OECD 402)	> 4,000 mg/kg
Calcium dodecylbenzenesulphonate	LD50, rabbit	> 4,199 mg/kg (read-across)

**Inhalation:** Not classified due to lack of data.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LC50, rat, aerosol	> 1.9 mg/l (read-across)
Sulfonic acids, petroleum, calcium salts	LC50, rat, mist (OPP 81-3)	> 1.9 mg/l (OPP 81-3)

**Skin corrosion/irritation:** No skin irritation, 3655A based on data from similar materials.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Skin irritation, rabbit	Not irritating (read-across)
Calcium dodecylbenzenesulphonate	Skin irritation, rabbit	Irritating (read-across)

**Serious eye damage/irritation:** No eye irritation, based on data from similar materials.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Eye irritation, rabbit (OECD 405)	Not irritating
Calcium dodecylbenzenesulphonate	Eye irritation, rabbit (OECD 405)	Serious eye damage/severe irritation
Sulfonic acids, petroleum, calcium salts	Eye irritation, rabbit	Not irritating

**Respiratory or skin sensitisation:** Not expected to cause skin sensitization, based on data from similar materials. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts: probability or evidence of low to moderate skin sensitisation rate in humans.

**Germ cell mutagenicity:** Not classified, based on available data.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Ames test (OECD 471)	negative (similar material)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	In vitro test, OECD 476	negative (similar material)
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Micronucleus test, mouse, oral	negative
Calcium dodecylbenzenesulphonate	Ames test (QSAR)	negative
Sulfonic acids, petroleum, calcium salts	Ames test (OECD 471)	negative (similar material)
Sulfonic acids, petroleum, calcium salts	In vitro test, OECD 476	negative (similar material)
Distillates (petroleum), solvent-refined heavy paraffinic	bacteria, OECD 471	negative

**Carcinogenicity:** This product contains no carcinogens as listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or the European Chemicals Agency (ECHA).

**Reproductive toxicity:** Not classified, based on available data. Calcium carbonate: in animal studies, did not interfere with reproduction.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	415, rat, male/female, oral, 28 days	NOAEL >= 500 mg/kg (similar material)
Calcium dodecylbenzenesulphonate	rat, male/female, oral, 20 days	maternal NOAEL: 300 mg/kg developmental NOAEL: 300 mg/kg

**STOT – single exposure:** Not classified, based on available data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

**STOT – repeated exposure:** Not classified, based on available data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	28-day oral subchronic study (OECD 407) rat, male/female	NOAEL: 500 mg/kg (similar material)
Calcium dodecylbenzenesulphonate	180-day oral subchronic study, rat, male/female	LOAEL: 115 mg/kg
Calcium dodecylbenzenesulphonate	rat, male/female, 30 days	LOAEL: 250 mg/kg

**Aspiration hazard:** Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

None known

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

### 12.1. Toxicity

Not determined. Calcium dodecylbenzenesulphonate: 96 h LC50 (fish) = 22 mg/l (OECD 203, read-across). 48 h EC50 (for daphnia) = 2.5 mg/l (OECD 202, read-across). Sulfonic acids, petroleum, calcium salts: 96 h LC50 (fish) > 10,000 mg/l; 48 h EC50 (for daphnia) > 100 mg/l (OECD 202); 72 h ErC50 (for algae) > 100 mg/l (OECD 201). Mineral oil: practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/ErC50 > 100 mg/l.)

### 12.2. Persistence and degradability

Mineral oil: not readily biodegradable. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: not readily biodegradable (read-across). Calcium dodecylbenzenesulphonate: readily biodegradable (73%, 28 days, read-across). Sulfonic acids, petroleum, calcium salts: not readily biodegradable (8.6%, 28 days).

**12.3. Bioaccumulative potential**

Calcium dodecylbenzenesulphonate: BCF = 104 (Bluegill sunfish, 21 days, 21); log Kow = 4.77, calculated. Mineral oil: bioconcentration in aquatic organisms is not expected to be significant.

**12.4. Mobility in soil**

Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

**12.5. Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6. Endocrine disrupting properties**

No information available

**12.7. Other adverse effects**

None known

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

Incinerate absorbed material with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement. Unused product is not classified as a hazardous waste according to 2008/98/EC.

**SECTION 14: TRANSPORT INFORMATION****14.1. UN number or ID number**

**ADG/ADR/RID/ADN/IMDG/ICAO:** NOT APPLICABLE  
**TDG:** NOT APPLICABLE  
**US DOT:** NOT APPLICABLE

**14.2. UN proper shipping name**

**ADG/ADR/RID/ADN/IMDG/ICAO:** NON-HAZARDOUS, NON REGULATED  
**TDG:** NON-HAZARDOUS, NON REGULATED  
**US DOT:** NON-HAZARDOUS, NON REGULATED

**14.3. Transport hazard class(es)**

**ADG/ADR/RID/ADN/IMDG/ICAO:** NOT APPLICABLE  
**TDG:** NOT APPLICABLE  
**US DOT:** NOT APPLICABLE

**14.4. Packing group**

**ADG/ADR/RID/ADN/IMDG/ICAO:** NOT APPLICABLE  
**TDG:** NOT APPLICABLE  
**US DOT:** NOT APPLICABLE

**14.5. Environmental hazards**

NOT APPLICABLE

**14.6. Special precautions for user**

NOT APPLICABLE

**14.7. Maritime transport in bulk according to IMO instruments**

NOT APPLICABLE

**14.8. Other information**

NOT APPLICABLE

**SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU regulations**

**Authorisations under Title VII:** Not applicable

**Restrictions under Title VIII:** None

**Other EU regulations:** None

**15.1.2. National regulations****US EPA SARA TITLE III****312 Hazards:**

None

**Chemicals subject to reporting requirements of Section 313 of EPCRA and of 40 CFR 372:**

None

TSCA: All chemical components are listed in the TSCA inventory.

**Other national regulations:** None

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: OTHER INFORMATION

**Abbreviations and acronyms:** ADG: Australian Dangerous Goods Code  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE: Acute Toxicity Estimate  
 BCF: Bioconcentration Factor  
 cATpE: Converted Acute Toxicity point Estimate  
 CLP: Classification Labelling Packaging Regulation (1272/2008/EC)  
 ES: Exposure Standard  
 GHS: Globally Harmonized System  
 ICAO: International Civil Aviation Organization  
 IMDG: International Maritime Dangerous Goods  
 LC50: Lethal Concentration to 50 % of a test population  
 LD50: Lethal Dose to 50% of a test population  
 LOEL: Lowest Observed Effect Level  
 N/A: Not Applicable  
 NA: Not Available  
 NOEC: No Observed Effect Concentration  
 NOEL: No Observed Effect Level  
 OECD: Organization for Economic Co-operation and Development  
 PBT: Persistent, Bioaccumulative and Toxic substance  
 (Q)SAR: Quantitative Structure-Activity Relationship  
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)  
 REL: Recommended Exposure Limit  
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail  
 SCL: Specific Concentration Limit  
 SDS: Safety Data Sheet  
 STEL: Short Term Exposure Limit  
 STOT RE: Specific Target Organ Toxicity, Repeated Exposure  
 STOT SE: Specific Target Organ Toxicity, Single Exposure  
 TDG: Transportation of Dangerous Goods (Canada)  
 TWA: Time Weighted Average  
 US DOT: United States Department of Transportation  
 vPvB: very Persistent and very Bioaccumulative substance  
 WEL: Workplace Exposure Limit  
 WHMIS: Workplace Hazardous Materials Information System  
 Other abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

**Key literature references and sources for data:** Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)  
 Chemical Classification and Information Database (CCID)  
 European Chemicals Agency (ECHA) - Information on Chemicals  
 Hazardous Chemical Information System (HCIS)  
 National Institute of Technology and Evaluation (NITE)  
 Swedish Chemicals Agency (KEMI)  
 U.S. National Library of Medicine Toxicology Data Network (TOXNET)

### Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

Classification	Classification procedure
Not applicable	Not applicable

**Relevant H-statements:** H302: Harmful if swallowed.  
 H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H318: Causes serious eye damage.  
 H413: May cause long lasting harmful effects to aquatic life.

**Hazard pictogram names:** Not applicable

**Further information:** None

**Date of last revision:** 23 March 2023

**Changes to the SDS in this revision:** Sections 1.2, 1.3, 2.1, 2.2, 3.2, 5.2, 5.3, 8.1, 9.1, 11.1, 12.6, 15.1.2, 16.



This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.