



SAFETY DATA SHEET

in accordance with 1907/2006/EC (REACH, as amended by 2015/830/EU) 29 CFR 1910.1200 and WHMIS 2015

Revision date: 24 September 2020

Initial date of issue: 10 March 2010

SDS No. 1112-7b

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

CMS 2000-FP

1.2. Relevant identified uses of the substance or mixture and uses advised against

White, non-staining injectable sealing compound. Can be used in food, potable water and pharmaceutical applications. Nontoxic at temperatures below 260°C (500°F).

1.3. Details of the supplier of the safety data sheet

Company:

A.W. CHESTERTON COMPANY
860 Salem Street
Groveland, MA 01834-1507, USA
Tel. +1 978-469-6446 Fax: +1 978-469-6785
(Mon. - Fri. 8:30 - 5:00 PM EST)
SDS requests: www.chesterton.com
E-mail (SDS questions): ProductMSDSs@chesterton.com
E-mail: customer.service@chesterton.com

Supplier:

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive,
Unit 105, Burlington, Ontario L7L 4X8 - Tel. 905-335-5055
EU: Chesterton International GmbH, Am Lenzenfleck 23,
D85737 Ismaning, Germany – Tel. +49-89-996-5460

1.4. Emergency telephone number

24 hours per day, 7 days per week
Call Infotrac: 1-800-535-5053
Outside N. America: +1 352-323-3500 (collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, 29 CFR 1910.1200, WHMIS 2015 and GHS.

2.1.2. Australian statement of hazardous nature

Not classified as hazardous according to criteria of Safe Work Australia.

2.1.3. Additional information

None

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms: NA
Signal word: None
Hazard statements: None
Precautionary statements: None
Supplemental information: None

2.3. Other hazards

None expected in industrial use. PTFE is nontoxic at ambient temperatures. At temperatures above 260°C (500°F), toxic decomposition products may be emitted. Due to toxic decomposition, avoid smoking when handling PTFE products. Wash hands to avoid transfer to tobacco products.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures**

Hazardous Ingredients ¹	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification
Talc	5-10	14807-96-6 238-877-9	NA	Not classified*

*Substance with a workplace exposure limit.
For full text of H-statements: see SECTION 16.

¹ Classified according to: * 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F), California Proposition 65
* 1272/2008/EC, REACH
* WHMIS 2015
* Safe Work Australia [NOHSC: 1008 (2004)]

SECTION 4: FIRST AID MEASURES**4.1. Description of first aid measures**

Inhalation: If overcome by decomposition fumes, remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

Skin contact: Wash skin with soap and water. Contact physician if irritation persists.

Eye contact: Flush eyes for at least 15 minutes with large amounts of water. Contact physician if irritation persists.

Ingestion: not applicable

4.2. Most important symptoms and effects, both acute and delayed

PTFE is nontoxic at ambient temperatures. However, small quantities of toxic gases may be produced at temperatures above 260°C (500°F), due to decomposition. Inhalation of these decomposition products may cause temporary flu-like symptoms. Repeated or prolonged inhalation of Talc dust may cause chronic cough, shortness of breath, scarring of the lungs (pulmonary fibrosis) and mild symptomatic pneumoconiosis.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing media**

Carbon Dioxide, dry chemical or water spray

5.2. Special hazards arising from the substance or mixture

Toxic fumes may be emitted at temperatures above 260°C (500°F).

5.3. Advice for firefighters

Recommend Firefighters wear self-contained breathing apparatus to protect against hazardous decomposition products.

Flammability Classification: –

HAZCHEM Emergency Action Code: 2 **Z**

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1. Personal precautions, protective equipment and emergency procedures**

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

No special requirements.

6.3. Methods and material for containment and cleaning up

No special steps required. Nontoxic.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

Do not smoke when handling PTFE products; wash hands after handling to avoid transfer to tobacco products. Utilize exposure controls and personal protection as specified in Section 8.

7.2. Conditions for safe storage, including any incompatibilities

Store in cool, dry area.

7.3. Specific end use(s)

Can be used in food, potable water and pharmaceutical applications.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limit values**

Ingredients	OSHA PEL ¹		ACGIH TLV ²		UK WEL ³		AUSTRALIA ES ⁴	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Talc	20 mppcf	2	(resp)	2	(resp)	1	(resp)	2.5

¹ United States Occupational Health & Safety Administration permissible exposure limits.

² American Conference of Governmental Industrial Hygienists threshold limit values.

³ EH40 Workplace exposure limits, Health & Safety Executive

⁴ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

8.2. Exposure controls**8.2.1. Engineering measures**

No special requirements. If using under extreme heat, use local exhaust.

8.2.2. Individual protection measures

Respiratory protection: Not required.

Protective gloves: Not normally needed.

Eye and face protection: Not normally needed.

Other: Long sleeves, long pants and good personal hygiene to minimize skin contact.

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state	putty-like compound	Odour	not applicable
Colour	white	Odour threshold	not determined
Initial boiling point	not applicable	Vapour pressure @ 20°C	not applicable
Melting point	not applicable	% Aromatics by weight	not applicable
% Volatile (by volume)	not applicable	pH	not applicable
Flash point	not applicable	Relative density	not applicable
Method	None	Weight per volume	not applicable
Viscosity	not applicable	Coefficient (water/oil)	not applicable
Autoignition temperature	not applicable	Vapour density (air=1)	not applicable
Decomposition temperature	no data available	Rate of evaporation (ether=1)	not applicable
Upper/lower flammability or explosive limits	not applicable	Solubility in water	slight
Flammability (solid, gas)	not applicable	Oxidising properties	not determined
Explosive properties	not determined		

9.2. Other information

None

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use. No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Extreme heat above 260°C (500°F).

10.5. Incompatible materials

Oxidizers, Fluorine, Chlorine Trifluoride and related compounds and molten alkali metals.

10.6. Hazardous decomposition products

Hydrogen Cyanide, Carbon Monoxide, Carbon Dioxide, trace amounts of Hydrogen fluoride, Perfluorocarbon olefins, and other toxic fumes may be evolved above 260°C (500°F).

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Primary route of exposure under normal use: Inhalation (PTFE decomposition fumes) and skin and eye contact.

Acute effects: PTFE is nontoxic at ambient temperatures. However, small quantities of toxic gases may be produced at temperatures above 260°C (500°F), due to decomposition. Inhalation of these decomposition products may cause temporary flu-like symptoms.

Chronic effects: Repeated or prolonged inhalation of Talc dust may cause chronic cough, shortness of breath, scarring of the lungs (pulmonary fibrosis) and mild symptomatic pneumoconiosis.

Carcinogenicity: As per 29 CFR 1910.1200 (Hazard Communication), this product contains no carcinogens as listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or Regulation (EC) No 1272/2008.

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

PTFE: nontoxic.

12.2. Persistence and degradability

PTFE: nonbiodegradable. Talc: inorganic substance, exists in nature.

12.3. Bioaccumulative potential

not determined

12.4. Mobility in soil

Putty-like compound. Slightly soluble in water.

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

Unused product is not a regulated waste. Check local, state and national/federal regulations and comply with the most stringent requirement.

SECTION 14: TRANSPORT INFORMATION**14.1. UN number**

ADR/RID/ADN/IMDG/ICAO: NOT APPLICABLE

TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE
14.2. UN proper shipping name	
ADR/RID/ADN/IMDG/ICAO:	NON-HAZARDOUS, NON REGULATED
TDG:	NON-HAZARDOUS, NON REGULATED
US DOT:	NON-HAZARDOUS, NON REGULATED
14.3. Transport hazard class(es)	
ADR/RID/ADN/IMDG/ICAO:	NOT APPLICABLE
TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE
14.4. Packing group	
ADR/RID/ADN/IMDG/ICAO:	NOT APPLICABLE
TDG:	NOT APPLICABLE
US DOT:	NOT APPLICABLE
14.5. Environmental hazards	
	NOT APPLICABLE
14.6. Special precautions for user	
	NOT APPLICABLE
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	NOT APPLICABLE
14.8. Other information	
	NOT APPLICABLE

SECTION 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU regulations**

Authorisations under Title VII: Not applicable

Restrictions under Title VIII: None

Other EU regulations: None

15.1.2. National regulations**US EPA SARA TITLE III**

312 Hazards:	313 Chemicals:
None	None

Other national regulations: None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE: Acute Toxicity Estimate
 BCF: Bioconcentration Factor
 CLP: Classification Labelling Packaging Regulation (1272/2008/EC)
 ES: Exposure Standard
 GHS: Globally Harmonized System
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 LC50: Lethal Concentration to 50 % of a test population
 LD50: Lethal Dose to 50% of a test population
 LOEL: Lowest Observed Effect Level
 N/A: Not Applicable
 NA: Not Available
 NOAEL: No Observed Adverse Effect Level
 NOEL: No Observed Effect Level
 OECD: Organization for Economic Co-operation and Development
 PBT: Persistent, Bioaccumulative and Toxic substance
 (Q)SAR: Quantitative Structure-Activity Relationship
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS: Safety Data Sheet
 STEL: Short Term Exposure Limit
 STOT RE: Specific Target Organ Toxicity, Repeated Exposure
 STOT SE: Specific Target Organ Toxicity, Single Exposure
 TDG: Transportation of Dangerous Goods (Canada)
 US DOT: United States Department of Transportation
 vPvB: very Persistent and very Bioaccumulative substance
 WEL: Workplace Exposure Limit
 WHMIS: Workplace Hazardous Materials Information System
 Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references and sources for data: Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)
 Chemical Classification and Information Database (CCID)
 European Chemicals Agency (ECHA) - Information on Chemicals
 Hazardous Substances Information System (HSIS)
 National Institute of Technology and Evaluation (NITE)
 Swedish Chemicals Agency (KEMI)
 U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:
 Not applicable

Relevant H-statements: None

Hazard pictogram names: None

Changes to the SDS in this revision: Section 2.1.

Revision date: 24 September 2020

Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.